

SAMSUNG



Hospitality Display

HU6000F series

Enrich guest stays with seamless entertainment

Standard 4K Hospitality TV

Experience the ultimate TV innovation with Samsung's HU6000F. Featuring vivid 4K UHD clarity, advanced 4K upscaling, and a sleek, aircraft-inspired metal design, this TV delivers stunning visuals and immersive 3D sound. Popular among any hotel style, it offers unmatched performance, and adaptive sound, for best-in-class entertainment.

Key features



Crystal Processor 4K

The Crystal Processor 4K brings out the true colors of shows and movies with powerful upscaling technology.

*Viewing experience may vary according to types of content and format.

*Upscaling may not apply to PC connection and Game Mode.



4K upscaling

Powerful 4K upscaling ensures you get up to 4K resolution for the content you love.

*Viewing experience may vary according to types of content and format.

*Upscaling may not apply to PC connection and Game Mode.



HDR

Now transform SDR content into HDR like quality by using deep learning algorithms. By learning the differences between SDR and HDR, they convert SDR content into HDR like quality with brighter highlights, more vibrant colors and clearer details.



Multi-Code Remote

With Multi-Code Remote, Samsung's hospitality displays allow users to deter interference from neighboring remotes or display, supporting their seamless audiovisual experience.

*Multi-code IR function requires extra remote controller.

Specifications

Model		43"	50"	55"	65"	75"
General Information	Product Type	LED	LED	LED	LED	LED
	Inch	43"	50"	55"	65"	75"
	Resolution	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)
Video	Picture Engine	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite
	HDR (High Dynamic Range)	HDR	HDR	HDR	HDR	HDR
	HDR10+	Support	Support	Support	Support	Support
	HLG (Hybrid Log Gamma)	Yes	Yes	Yes	Yes	Yes
	Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast
	Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color
	Micro Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming
	Contrast Enhancer	Yes	Yes	Yes	Yes	Yes
	Film Mode	Yes	Yes	Yes	Yes	Yes
Audio	Speaker Type	2CH	2CH	2CH	2CH	2CH
	Main Speaker Output (W)	10W+10W	10W+10W	10W+10W	10W+10W	10W+10W
	Bluetooth Audio	Yes	Yes	Yes	Yes	Yes
VESA Standard	Screw Size	M8	M8	M8	M8	M8
	Screw depth	23-25	23-25	23-25	23-25	10-12
	VESA Spec	200 x 200	200 x 200	200 x 200	200 x 200	400 x 300
Smart Feature	Multi View	Yes	Yes	Yes	Yes	Yes
	Ambient Mode	Yes	Yes	Yes	Yes	Yes
	Workspace	Yes	Yes	Yes	Yes	Yes
	Apple AirPlay	N/A	N/A	N/A	N/A	N/A
	Google Cast	N/A	N/A	N/A	N/A	N/A
Feature	Art Mode	N/A	N/A	N/A	N/A	N/A
	ConnectShare™	Yes	Yes	Yes	Yes	Yes
	EPG	Yes	Yes	Yes	Yes	Yes
	IP Control	N/A	N/A	N/A	N/A	N/A
Hospitality Feature	TEP	N/A	N/A	N/A	N/A	N/A
	Samsung LYNK Cloud	N/A	N/A	N/A	N/A	N/A
	Hospitality Plug&Play (Easy Setup)	Yes	Yes	Yes	Yes	Yes
	Power On Mode	Yes	Yes	Yes	Yes	Yes
	Hotel Channel List	Yes	Yes	Yes	Yes	Yes
	Channel Menu Display	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes
	My Channel	Yes	Yes	Yes	Yes	Yes
	Energy Saving Mode (BLU control)	Yes	Yes	Yes	Yes	Yes
	Interactive Protocol	Yes	Yes	Yes	Yes	Yes
	Multi Code Remote control	Yes	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes	Yes
	Hostspot	Yes	Yes	Yes	Yes	Yes
	Alarm	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ DRM RF	N/A	N/A	N/A	N/A	N/A
	Samsung LYNK™ DRM IP	N/A	N/A	N/A	N/A	N/A
	bLAN	N/A	N/A	N/A	N/A	N/A
	Security Mode	Yes	Yes	Yes	Yes	Yes
	Pro:Idiom SW	Yes	Yes	Yes	Yes	Yes


Specifications

Model		43"	50"	55"	65"	75"
Connectivity	Wi-Fi	N/A	N/A	N/A	N/A	N/A
	Bluetooth	N/A	N/A	N/A	N/A	N/A
	HDMI	1	1	1	1	1
	Anynet+ (HDMI-CEC)	Yes	Yes	Yes	Yes	Yes
	USB	1 x USB-A	1 x USB-A	1 x USB-A	1 x USB-A	1 x USB-A
	Ethernet (LAN)	N/A	N/A	N/A	N/A	N/A
	Audio Out (Mini Jack / LR)	N/A	N/A	N/A	N/A	N/A
	Digital Audio Out (Optical)	N/A	N/A	N/A	N/A	N/A
	RF In (Terrestrial / Cable input / Satellite Input)	1/1 (Common Use for Terrestrial)/0	1/1 (Common Use for Terrestrial)/0	1/1 (Common Use for Terrestrial)/0	1/1 (Common Use for Terrestrial)/0	1/1 (Common Use for Terrestrial)/0
	Ex-Link (RS-232C)	1	1	1	1	1
	CI Slot	N/A	N/A	N/A	N/A	N/A
	Pillow Speaker Jack	N/A	N/A	N/A	N/A	N/A
	Variable Audio Out	N/A	N/A	N/A	N/A	N/A
	Variable Audio Out Volume Control	N/A	N/A	N/A	N/A	N/A
	Video Out	N/A	N/A	N/A	N/A	N/A
	DATA	Yes	Yes	Yes	Yes	Yes
	Headphone	N/A	N/A	N/A	N/A	N/A
	Headphone ID	N/A	N/A	N/A	N/A	N/A
	Ethernet Bridge (LAN-Out)	N/A	N/A	N/A	N/A	N/A
Design	Design	Design	Design	Design	Design	Design
	Stand Type	BASIC FEET	BASIC FEET	BASIC FEET	BASIC FEET	BASIC FEET
* Power	Power Supply (V)	AC110-120V~ 50/60Hz	AC110-120V~ 50/60Hz	AC110-120V~ 50/60Hz	AC110-120V~ 50/60Hz	AC110-120V~ 50/60Hz
	Power Consumption (Max) (W)	100	110	120	160	215
	Power Consumption (Energy Saving Mode) (W)	N/A	N/A	N/A	N/A	N/A
	Power Consumption (Stand-by) (W)	0.5	0.5	0.5	0.5	0.5
	Power Consumption (Typical)	77	90	88	124	156
Dimension (W x H x D)	Set Size without Stand (W x H x D) (mm / in.)	957.8 x 558.8 x 76.3 mm / 37.7 x 22 x 3 in.	1,110.8 x 643.8 x 76.4 mm / 43.7 x 25.3 x 3 in.	1,224.6 x 707.8 x 76.6 mm / 48.2 x 27.9 x 3 in	1,444.1 x 831.2 x 76.8 mm / 56.9 x 32.7 x 3 in.	1,668.1 x 957.8 x 77 mm / 65.7 x 37.8 x 3 in.
	Set Size with Stand (W x H x D) (mm / in.)	957.8 x 609 x 157 mm / 37.7 x 24 x 6.2 in.	1,110.8 x 695.1 x 199 mm / 43.7 x 27.4 x 7.8 in.	1,224.6 x 759.1 x 199 mm / 48.2 x 29.9 x 7.8 in.	1,444.1 x 882.2 x 222 mm / 56.9 x 34.7 x 8.7 in.	1,668.1 x 1,005.9 x 280 mm / 65.7 x 39.6 x 11 in.
	Package Size (W x H x D) (mm / in.)	1,070 x 650 x 123 mm / 42.1 x 25.6 x 4.8 in.	1,228 x 743 x 127 mm / 48.3 x 29.3 x 5 in.	1,354 x 810 x 127 mm / 53.3 x 31.9 x 5 in.	1,578 x 930 x 142 mm / 62.1 x 36.6 x 5.6 in.	1,820 x 1,100 x 164 mm / 71.7 x 43.3 x 6.5 in.
Weight	Set Weight without Stand (kg / lbs.)	6.4 kg / 14.1 lbs.	8.3 kg / 18.3 lbs.	9.6 kg / 21.2 lbs.	14.2 kg / 31.3 lbs.	22.4 kg / 49.3 lbs.
	Set Weight with Stand (kg / lbs.)	6.6 kg / 13.2 lbs.	8.6 kg / 19 lbs.	9.9 kg / 21.8 lbs.	14.5 kg / 32 lbs.	22.8 kg / 50.3 lbs.
	Package Weight (kg / lbs.)	9.2 kg / 20.3 lbs.	12.0 kg / 26.5 lbs.	14.0 kg / 31 lbs.	20.5 kg / 45.2 lbs.	31 kg / 68.3 lbs.
Accessory	Remote Controller Model	TM2140B	TM2140B	TM2140B	TM2140B	TM2140B
	Batteries (for Remote Control)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)
Component	User Manual	Yes	Yes	Yes	Yes	Yes
	Power Cable	Yes	Yes	Yes	Yes	Yes
Hospitality Accessory	Quick Install Guide	Yes	Yes	Yes	Yes	Yes
	Data Cable	Yes	Yes	Yes	Yes	Yes


* Figures may vary by region.

Technical drawings


43"




50"



55"




65"




Technical drawings

75"



Connectors



Learn More

Product Support

Follow Us

samsung.com/display samsung.com/business insights.samsung.com

1-866-SAM4BIZ

youtube.com/samsungbizusa [@SamsungBizUSA](https://twitter.com/SamsungBizUSA)

SAMSUNG